


AD-A132 552 THE DJ5-05411 MICROCOMPUTER(U) FOREIGN TECHNOLOGY DIV 1/1  
WRIGHT-PATTERSON AFB OH 19 AUG 83 FTD-ID(R5)T-0347-83

UNCLASSIFIED

F/G 9/2 NL





7


2

FTD-ID(RS)T-0347-83

# FOREIGN TECHNOLOGY DIVISION



THE DJS-054II MICROCOMPUTER



DTIC  
ELECTE  
SEP 16 1983  
S D

Approved for public release;  
distribution unlimited.

DTIC FILE COPY

AD-A293 552



83 09 16 062

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	



FTD-ID(RS)T-0347-83

## EDITED TRANSLATION

FTD-ID(RS)T-0347-83

19 August 1983

MICROFICHE NR: FTD-83-C-001017

THE DJS-054II MICROCOMPUTER

English pages: 1

Source: Dianzi Jishu, Nr. 11, 1982, pp. 1

Country of origin: China

Translated by: Randy Dorsey

Requester: FTD/TQTA

Approved for public release; distribution unlimited.

THIS TRANSLATION IS A RENDITION OF THE ORIGINAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT. STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE FOREIGN TECHNOLOGY DIVISION.

PREPARED BY:

TRANSLATION DIVISION  
FOREIGN TECHNOLOGY DIVISION  
WP-AFB, OHIO.

FTD-ID(RS)T-0347-83

Date 19 Aug 19 83

**GRAPHICS DISCLAIMER**

*FIRST LINE OF TITLE*

All figures, graphics, tables, equations, etc.  
merged into this translation were extracted  
from the best quality copy available.

## THE DJS-054II MICROCOMPUTER

The DJS-054II microcomputer is a system which uses the Intel 8080A as its core and employs a large number of 8080 series LSI circuit structures.

The DJS-054II computer employs an S-100 bus and a CAMAC type chassis into which 20 circuit board can be inserted. The average time between breakdown is over 2000 hours and operation is stable at a routine test temperature of from  $-5^{\circ}\text{C} \sim +55^{\circ}\text{C}$ .

There is a complete line of peripheral equipment: 8-inch floppy disk drive; small, 80-column stylus printer; CRT; photoelectric machine; punching machine; A/D converter; and TQD-4 process channel.

Software abounds: assembler; microeditor; MINIBASIC; functions library program; TINYPASCAL; PL/M; check routine; CP/N disk operating system; FORTRAN-IV; RMX-054 Real-time multitasking system audio frequency cassette tape supervisory program.

## SHANGHAI COMPUTER FACTORY

Address: 1486 Shanghai Nanjing Xi Lu

Telephone: 564585

Cable address: 2058

END

FILMED

9-83

DTIC